

Service connector

Item No.: 224-201



Service connector

Marking

RoHS ✓
Compliant

Business data

Supplier	WAGO
Item no.	224-201
GTIN / EAN	4044918818407
Content	1
Order amount	50
Customer item number	

Notes


Technical data


Miscellaneous

Total number of connection points	2
Total number of potentials	1
Color	gray
Rated voltage (II / 2) [V]	400 [V]
Rated surge voltage (II / 2) [kV]	4 [kV]
Nominal current [A]	24 [A]
Connection technology	CAGE CLAMP®
Number of connection points	2
Actuation type	Push-in
Connectable conductor materials	Kupfer

Technical data	
<i>Solid sizes</i>	<i>0.5 ... 2.5 mm² / 20 ... 16 AWG</i>
<i>Fine-stranded wires</i>	<i>0.5 ... 2.5 mm² / 20 ... 16 AWG</i>
<i>Strip length</i>	<i>9 ... 11 mm / 0.35 ... 0.43 in</i>
<i>Type of wiring</i>	<i>Side-entry wiring</i>
<i>Fire load [MJ]</i>	<i>0.099 [MJ]</i>
<i>Weight [g]</i>	<i>5 [g]</i>
<i>Width</i>	<i>8 mm / 0.315 in</i>
<i>Height</i>	<i>15.5 mm / 0.61 in</i>
<i>Length</i>	<i>42 mm / 1.654 in</i>
<i>Safety information 1</i>	<i>In grounded power lines</i>

Images & drawings





Address

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Telefon: 0571/887-0

Fax: 0571/887-169

<http://www.wago.com>

© WAGO Kontakttechnik GmbH & Co. KG

Technische Änderungen und Irrtümer vorbehalten.